

Product Details

Color:	Clear	Size:	1 Liter
Material:	Acrylate-based Polymer for 3D Printing	Tensile(MPa):	53-63
Elongation(%):	1-4	Impact(J/m):	17-29
Hardness(Shore):	85-88D	Flexural Strength(MPa):	89-105
Flexure Modulus (MPa):	1600-2000	HDT(°F/°C):	77
Tear Strength(kN/m):	-	Compression(%):	-
Viscosity at 77°F/25°C:	1100-1300	Layer thickness(um):	50
PostCure:	FormCure 60°C, 30min		