## **Material Safety Data Sheet**

**Produce Name** Low Toxic Cyan 1. Chemical Product and Company Identification CUKL22C a. Trade Name b. General Use UV Cure resin c. Manufacturer Carima Co., Ltd. 13FL, Hanwha biz metro1 B/D 551-17, Yangcheon-ro, Gangseo-gu, Seoul, 07532, Korea +82-2-3663-8877 2. Hazards Identification Acute toxicity (oral): Serious Eye Damage/Irritation: Category 2A, H319 a. Hazards Classification and Statements Skin Irrit.: Category 2, H315 Skin sensitisation.: Category 1, H317 Reproductive toxicity: Category 3, H412 b. Hazards Description: Aquatic environment hazard (Repeated exposure): Pictogram Signal word WARNING H315: Causes skin irritation. H317: May cause an allergic skin reaction. Hazards Classification and Statements H319: Causes serious eye irritation. H412: Harmful to aquatic life with long lasting effects. Prevention precautionary statements P261 : Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264: Wash skin thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace. Prevention P273: Avoid release to the environment. P280: Wear eye protection and face protection. P280: Wear protective gloves. P302 + P352 : IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313: If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 : If eye irritation persists: Get medical advice/ attention. Response precautionary statements P363: Wash contaminated clothing before reuse.

Storage precautionary statements

Disposal precautionary statements: P501 : Dispose of contents or container to an approved waste disposal plant.

Other harmful or danger characteristic (NFPA) Oligomer Health hazard Fire Reactivity Hazard Photo initiator Health hazard Fire Reactivity Hazard Acryl monomer Health hazard Fire Reactivity Hazard 3. COMPOSITION/INFORMATION ON INGREDIENTS CAS No, Component Common name Amount(%) Oligomer proprietary proprietary 30~60 10~30 Acryl monomer proprietary proprietary Photo initiator proprietary proprietary 0.1~10 UV absorber proprietary proprietary ~1 4. First aid measures In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get a. Eye contact medical attention. In case of contact, immediately flush skin with plenty of water. Get medical attention. Remove contaminated clothing b. Skin contact and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. If inhaled, remove victim to fresh air. c. Inhalation If swallowed, DO NOT induce vomiting. Get medical attention. Never give anything by mouth to d. Ingestion an unconscious person. 5. Fire fighting measures Hazardous products of Combustion In case of fire, toxic fumes might be formed Extinguishing media Water spray, Carbon dioxide (CO2), Foam, Dry chemical When burned, the following hazardous products of combustion can occur: Unusual fire or explosion Hazards Carbon oxides Fight fire from a protected location. Special fire fighting Procedures Cool closed containers exposed to fire with water spray. 6. Accidental release measures Prevent further leakage or spillage if you can do so without risk. Ventilate the area. Avoid generation of vapors. Contain and collect spillage with non-combustible absorbent material such as clean sand, earth, diatomaceous earth or non-acidic clay and place into suitable properly labeled containers for prompt disposal. Personal precautions Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Consult a regulatory specialist to determine appropriate state or local reporting requirements,

for assistance in waste characterization and/or hazardous waste disposal and other

requirements listed in pertinent environmental permits.

Environmental precautions

Clean-up Method

7. Handling and storage

a. Storage

Keep in a dry, cool place. Store in closed containers, in a secure area to prevent container damage and subsequent spillage. Store out of direct sunlight in a cool well-ventilated place. Keep stabilizer levels constant to avoid explosive

polymerization. An air space is required above the liquid in all containers; avoid storage under an oxygen-free atmosphere.

Store separate from: Strong oxidizing agents Strong reducing agents Free radical generators Inert gas Oxygen scavenger.

Peroxides

Avoid breathing vapor or mist. Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash thoroughly after handling.

Emptied container retains vapor and product residue.

Observe all labeled safeguards until container is cleaned, reconditioned or destroyed.

## 8. Exposure controls/personal protection

a. Exposure Limits

b. Handling

National regulations

No Data

**ACGIH** regulations

No Data

Biological exposure limits

No Data

b. Suitable Engieering Management

Investigate engineering techniques to reduce exposures below airborne exposure limits or to otherwise reduce exposures. Provide ventilation if necessary to minimize exposures or to control exposure levels to below airborne exposure limits (if applicable see above). If practical, use local mechanical exhaust ventilation at sources of air contamination such as open process equipment.

c. Personal protector

Eye protection

Where there is potential for eye contact, wear chemical goggles and have eye flushing equipment immediately available.

Hands protection

Chemical resistant gloves.

Skin and body protection

Wear appropriate chemical resistant protective clothing and chemical resistant gloves to prevent skin contact. Consult glove manufacturer to determine appropriate type glove material for given application. Avoid natural rubber gloves. Wear chemical goggles, a face shield, and chemical resistant clothing such as a rubber apron when splashing may occur. Rinse immediately if skin is contaminated. Remove contaminated clothing immediately and wash before reuse. Clean protective equipment before reuse. Provide a safety shower at any location where skin contact can occur. Wash thoroughly after handling.

Respiratory protection

Avoid breathing vapor or mist. Where airborne exposure is likely or airborne exposure limits are exceeded (if applicable, see above), use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. Full facepiece equipment is recommended and, if used, replaces need for face shield and/or chemical goggles. Consult respirator manufacturer to determine appropriate type equipment for a given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure or where exposure limit may be significantly exceeded, use an approved full face positive-pressure, selfcontained breathing apparatus or positive-pressure airline with auxiliary self-contained air supply.

## 1. Appearance Туре Liquid Blue Color acrylate 2. Odor 3. Odour threshold No Data ~7 4. pH No Data 5. Melting Point/Freezing Point No Data 6. Boiling Point 7. Flash Point No Data 8. Evaporation Rate No Data 9. Flammability No Data 10. Flammable Limits No Data 11. Vapor Pressure No Data 12. Solubility in WATER No Data 13. Vapor density(water=1) No Data 14. Density No Data No Data 15. n-Octanol/Water Partition coefficient 16. Autoignition Temperature No Data No Data 17. Decomposition Temperature No Data 18. Viscosity(at 25 °C) No Data 19. Molecular Weight 10. Stability and reactivity This material polymerizes exothermically in the presence of heat, contamination, oxygen free atmosphere, free radicals, peroxides and inhibitor depletion liberating heat. Avoid direct Conditions to avoid sunlight. Do NOT expose to ultraviolet light. Strong oxidizing agents Strong reducing agents Free radical generators Materials to avoid Inert gas Oxygen scavenger. Peroxides Hazardous polymerisation may occur. Polymerization is exothermic and can degenerate into an uncontrolled reaction. Hazardous reaction Not available Decomposition temperature Thermal decomposition giving flammable and toxic products: Carbon oxides Nitrogen oxides Hydrogen cyanide Isocyanates Hazardous decomposition component Amines Acrylates Hazardous organic compounds 11. Toxicological information a. Information on the likely routes of No Data

9. Physical and chemical properties

b. Acute Toxicity Data

Acute toxic	
Oral	Acute toxicity estimate > 5,000 mg/kg.
Dermal	Acute toxicity estimate > 5,000 mg/kg.
Inhalation	
	No Data
Skin Corrosion/Irritation	
Carious Fue Damage/Invitation	Causes mild skin irritation. (rabbit) Irritation Index: 0.0 - 1.7 / 8.0. (4 h)
Serious Eye Damage/Irritation	Causes serious eye irritation. (rabbit)
Respiratory sensitization	
	No Data
Skin sensitization	
	May cause allergic skin reaction. Buehler Test. (guinea pig) Skin allergy was observed. May cause allergic skin reaction. LLNA: Local Lymph Node Assay. (mouse) Skin allergy was observed.
Notice of Ministry of Employment and Labor	
	No Data
Carcinogenicity	
IARC	No Data
OSHA	NO Data
351.11	No Data
ACGIH	
	No Data
NTP	N. B.
EU CLP	No Data
2002	No Data
Germ Cell Mutagenicity	
	No Data
Reproductive toxicity	
Specific target organ toxicity(single exposure)	No Data
Specific target organ toxicity(single exposure)	No Data
Specific target organ toxicity (repeated exposure)	
	No Data
Aspiration hazard	
	No Data
12. Environmental information	
a. Aquatic and terrestrial ecotoxicity:	
Fish toxicity (Acute):	
	No Data
Water flea toxicity (Acute):	
Diade growth hind-see-start (A., 1.)	No Data
Birds growth hinderance test (Acute):	No Data
b. Persistence and degradability:	

Persistence	
	No Data
Degradability	No Data
c. Bioaccumulative potential:	110 Data
condenasability	
	No Data
biodegradablility	
	No Data
d. Mobility in soil	No Data
e. Other adverse effects:	No Data
c. Offici advoise chools.	No Data
13. Disposal considerations	
	Disposal via incineration is recommended. Dispose of in accordance with federal, state and local regulations. Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits. Note: Chemical additions to, processing of, or otherwise altering this material may make this waste management information incomplete, inaccurate, or otherwise inappropriate. Furthermore, state and local waste disposal requirements may be more restrictive or otherwise different from federal laws and regulations.
14. Transport information	
a. UN No.	
b. Proper Shipping Name	
c. Transportation Class	
d. Packing Group	
e.Marine Pllutant	No Data
f. Special precautions for user	110 5 4 4
fire emergency	
spill Emergency	
15. Regulation information	
a. Industrial Safety and Health Act	
	No Data
b. Toxic Chemical Control Act	No Data
c. Dangerous Material Safety Control Act	NO Data
200,000,000	No Data
d. Wastes Management Act	
Other requirements in domestic and other countries National regulation POPs Control Act	Designated waste

	Net applicable
Other countries	Not applicable
Other countries	
U.S.A(OSHA)	Not applicable
U.S.A(CERCLA)	raot applicable
o.o.n(olitolin)	Not applicable
U.S.A(EPCRA 302)	Tot applicable
5.5.n(L) 5117 502/	Not applicable
U.S.A(EPCRA 304)	Tion applicable
0.03 (21 0.0 00 1)	Not applicable
U.S.A(EPCRA 313)	
	Not applicable
EU(Classification)	
,	
EU(Risk phrases)	
,	
	H315, H317, H319, H412
ELVO ( ) PI	
EU(Safety Phrases)	Net applicable
	Not applicable
16. Other requirements in domestic and other countries	
a. Information source and references	
Frbiz(Pisces)	
Lookchem	
Episuite	
b. Issuing date	2020-12-01
c. Revision number and date	2020-12-01
Revision number	Not applicable
Date	Not applicable
d. Others	-
a. 5.1.5.5	
O Written in the Material Safety Data Sheet (MSDS) is edited by	by reference to the MSDS provided by the Korea Occupational Safety and Health Agency, some modified data.
	modified data.

