

Safety data sheet

Page: 1/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 27.11.2020 Previous version: 1.0 Date / First version: 27.11.2020 Previous ST 80 G

(ID no. 1019307/SDS_GEN_EU/EN)

Date of print 07.03.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ultracur3D® ST 80 G

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: resin, Printing inks, Chemical

1.3. Details of the supplier of the safety data sheet

<u>Company:</u> BASF 3D Printing Solutions GmbH Speyerer Str. 4 69115 Heidelberg, Germany

Telephone: +49 6221 67417 900 E-mail address: sales@basf-3dps.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

Page: 2/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 27.11.2020 Previous version: 1.0 Date / First version: 27.11.2020 Previous version: 1.0 Product: **Ultracur3D® ST 80 G**

(ID no. 1019307/SDS_GEN_EU/EN)

Date of print 07.03.2022

According to Regulation (EC) No 1272/2008 [CLP]

Skin Corr./Irrit. 2	H315 Causes skin irritation.
Eye Dam./Irrit. 1	H318 Causes serious eye damage.
Skin Sens. 1B	H317 May cause an allergic skin reaction.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

Globally Harmonized System, EU (GHS)

Pictogram:

Signal Word: Danger

Hazard Statement: H318 H315 H317	Causes serious eye damage. Causes skin irritation. May cause an allergic skin reaction.	
Precautionary Statemen	ts (Prevention):	
P280	Wear protective gloves and eye protection or face protection.	
P261	Avoid breathing mist or vapour or spray.	
Precautionary Statements (Response):		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER or physician.	
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.	
Precautionary Statements (Disposal):		
P501	Dispose of contents and container to hazardous or special waste collection point.	

According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: Polymeric urethane acrylate, diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide, Oxybis(methyl-2,1-ethanediyl) diacrylate

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

Page: 3/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 27.11.2020 Previous version: 1.0 Date / First version: 27.11.2020 Product: Ultracur3D® ST 80 G

> (ID no. 1019307/SDS_GEN_EU/EN) Date of print 07.03.2022

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Blend based on: acrylic resin

Hazardous ingredients (GHS) according to Regulation (EC) No. 1272/2008

Oxybis(methyl-2,1-ethanediyl) diacrylate Content (W/W): >= 25 % - < 50 % Skin Corr./Irrit. 2 CAS Number: 57472-68-1 Eye Dam./Irrit. 1 EC-Number: 260-754-3 Skin Sens. 1 REACH registration number: 01-H318, H315, H317 2119484629-21

diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide Content (W/W): >= 0.3 % - < 3 % Skin Sens. 1B CAS Number: 75980-60-8 Repr. 2 (fertility) EC-Number: 278-355-8 Repr. 2 (unborn child) Aquatic Chronic 2 H317, H361fd, H411

Polymeric urethane acrylate Content (W/W): >= 50 % - < 75 % Skin Corr./Irrit. 2 CAS Number: 68585-11-5

Eye Dam./Irrit. 2 H319, H315

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

Page: 4/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 27.11.2020 Previous version: 1.0 Date / First version: 27.11.2020 Previous ST 80 G

> (ID no. 1019307/SDS_GEN_EU/EN) Date of print 07.03.2022

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: No hazard is expected under intended use and appropriate handling.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: dry powder, foam

5.2. Special hazards arising from the substance or mixture

Endangering substances: harmful vapours

Advice: Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Page: 5/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 27.11.2020 Previous version: 1.0 Date / First version: 27.11.2020 Previous ST 80 G

> (ID no. 1019307/SDS_GEN_EU/EN) Date of print 07.03.2022

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin, eyes and clothing. Avoid inhalation. Handle in accordance with good industrial hygiene and safety practice.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of. For large amounts: Pick up with suitable appliance and dispose of. Incinerate or take to a special waste disposal site in accordance with local authority regulations. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours.

Protection against fire and explosion:

Heated containers should be cooled to prevent polymerization. Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Page: 6/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 27.11.2020 Previous version: 1.0 Date / First version: 27.11.2020 Product: Ultracur3D® ST 80 G

(ID no. 1019307/SDS_GEN_EU/EN)

Date of print 07.03.2022

Components with occupational exposure limits

1333-86-4: Carbon black 13463-67-7: Titanium dioxide

8.2. Exposure controls

Appropriate engineering controls Ensure adequate ventilation.

Personal protective equipment

Respiratory protection: Wear respiratory protection if ventilation is inadequate.

Hand protection: Wear chemical resistant protective gloves. Manufacturer's directions for use should be observed because of great diversity of types.

Eve protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection: Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: Colour: Odour:	liquid grey acrylic-like
Odour threshold:	
pH value:	not determined 6 - 8 (25 °C) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.
	substances/products of a similar structure or composition.

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 27.11.2020 Previous version: 1.0 Date / First version: 27.11.2020 Previous Version: 1.0 Product: Ultracur3D® ST 80 G

(ID no. 1019307/SDS_GEN_EU/EN) Date of print 07.03.2022

Melting point:	> 60 °C The product has not been tested. The statement has been derived from substances/products of a similar
Boiling point:	structure or composition. > 100 °C The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.
Flash point: Evaporation rate:	> 100 °C
Flammability: Lower explosion limit:	not determined, Value can be approximated from Henry's Law Constant or vapor pressure. not highly flammable
	For liquids not relevant for classification and labelling.
Upper explosion limit:	For liquids not relevant for classification and labelling.
Ignition temperature:	not determined
Vapour pressure:	
Density:	not determined 1.09 g/cm3 (20 °C)
	The product has not been tested. The statement has been derived from substances/products of a similar
Relative vapour density	structure or composition. (air):
Solubility in water:	not determined of low solubility, The product has not been tested. The statement has been derived from the properties of the individual components.
Partitioning coefficient n	-octanol/water (log Kow):
Self ignition:	not applicable for mixtures not self-igniting
Thermal decomposition: Viscosity, dynamic:	not determined 87 mPa.s (30 °C)
Viscosity, kinematic:	
Explosion hazard: Fire promoting propertie	not determined not explosive s: not fire-propagating

Page: 7/14

Page: 8/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 27.11.2020 Date / First version: 27.11.2020 Product: Ultracur3D® ST 80 G

Previous version: 1.0

(ID no. 1019307/SDS_GEN_EU/EN) Date of print 07.03.2022

9.2. Other information

Self heating ability: not applicable, the product is a liquid Bulk density:

Hygroscopy:

not applicable hygroscopic

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

No corrosive effect on metal. Corrosion to metals: 10.2. Chemical stability The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions. The product is stabilized against spontaneous polymerization prior to despatch.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid: No substances known that should be avoided.

10.6. Hazardous decomposition products

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity: Based on available data, the classification criteria are not met.

Irritation

Assessment of irritating effects: Skin contact causes irritation. May cause severe damage to the eyes.

Page: 9/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 27.11.2020 Previous version: 1.0 Date / First version: 27.11.2020 Previous ST 80 G

(ID no. 1019307/SDS_GEN_EU/EN) Date of print 07.03.2022

Respiratory/Skin sensitization

Assessment of sensitization: Sensitization after skin contact possible.

Germ cell mutagenicity

Assessment of mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity

Assessment of reproduction toxicity: Based on available data, the classification criteria are not met.

Developmental toxicity

Assessment of teratogenicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Assessment of STOT single: Causes temporary irritation of the respiratory tract.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: Based on available data, the classification criteria are not met.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

Page: 10/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 27.11.2020 Previous version: 1.0 Date / First version: 27.11.2020 Product: Ultracur3D® ST 80 G

(ID no. 1019307/SDS_GEN_EU/EN) Date of print 07.03.2022

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity: Acutely toxic for aquatic organisms.

Assessment of terrestrial toxicity: No data available concerning terrestrial toxicity.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O): The polymer component of the product is poorly biodegradable.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential: The product has not been tested.

12.4. Mobility in soil

Assessment transport between environmental compartments: Volatility: No data available.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

No data available.

12.7. Additional information

Add. remarks environm. fate & pathway: Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

The product has not been tested. The statement has been derived from the properties of the individual components. Do not discharge product into the environment without control.

Page: 11/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 27.11.2020 Previous version: 1.0 Date / First version: 27.11.2020 Previous ST 80 G

> (ID no. 1019307/SDS_GEN_EU/EN) Date of print 07.03.2022

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with national, state and local regulations.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.

The waste code in accordance with the European waste catalog (EWC) must be specified in cooperation with disposal agency/manufacturer/authorities.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number:	Not classified as a dangerous good under transport regulations
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	Not applicable
user	None known
RID	
UN number or ID number:	Not classified as a dangerous good under transport regulations
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	Not applicable
user	None known

Inland waterway transport ADN

Page: 12/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 27.11.2020 Date / First version: 27.11.2020 Product: Ultracur3D® ST 80 G

Previous version: 1.0

(ID no. 1019307/SDS_GEN_EU/EN) Date of print 07.03.2022

UN number or ID number: Not applicable Not applicable UN proper shipping name: Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable None known Special precautions for user:

Transport in inland waterway vessel Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known
user	

Air transport

IATA/ICAO

UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user

Not classified as a dangerous good under transport regulations Not applicable Not applicable Not applicable Not applicable Not applicable None known

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

Page: 13/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 27.11.2020 Previous version: 1.0 Date / First version: 27.11.2020 Previous ST 80 G

(ID no. 1019307/SDS_GEN_EU/EN) Date of print 07.03.2022

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

Any other intended applications should be discussed with the manufacturer.

Full text of the classifications, including the hazard classes and the hazard statements, if mentionedin section 2 or 3:Skin Corr./Irrit.Skin corrosion/irritationEye Dam./Irrit.Serious eye damage/eye irritationSkin Sens.Skin sensitizationRepr.Reproductive toxicity

Page: 14/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 27.11.2020 Previous version: 1.0 Date / First version: 27.11.2020 Previous version: 1.0 Product: **Ultracur3D® ST 80 G**

(ID no. 1019307/SDS_GEN_EU/EN) Date of print 07.03.2022

Aquatic Chronic	Hazardous to the aquatic environment - chronic
H318	Causes serious eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H319	Causes serious eye irritation.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population, LD50 = Lethal dose median for 50% of the population.TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.



Safety data sheet

Page: 1/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 26.11.2020 Previous version: 1.0 Date / First version: 26.11.2020 Previous version: 1.0 Product: Ultracur3D® ST 80 B

(ID no. 1019248/SDS_GEN_EU/EN)

Date of print 07.03.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ultracur3D® ST 80 B

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: resin, Printing inks, Chemical

1.3. Details of the supplier of the safety data sheet

<u>Company:</u> BASF 3D Printing Solutions GmbH Speyerer Str. 4 69115 Heidelberg, Germany

Telephone: +49 6221 67417 900 E-mail address: sales@basf-3dps.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

Page: 2/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 26.11.2020 Date / First version: 26.11.2020 Product: Ultracur3D® ST 80 B

Previous version: 1.0

(ID no. 1019248/SDS_GEN_EU/EN) Date of print 07.03.2022

According to Regulation (EC) No 1272/2008 [CLP]

Skin Corr./Irrit. 2	H315 Causes skin irritation.
Eye Dam./Irrit. 1	H318 Causes serious eye damage.
Skin Sens. 1B	H317 May cause an allergic skin reaction.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

Globally Harmonized System, EU (GHS)

Pictogram:

Signal Word: Danger

Hazard Statement: H318 H315 H317	Causes serious eye damage. Causes skin irritation. May cause an allergic skin reaction.	
Precautionary Statemen	ts (Prevention):	
P280	Wear protective gloves and eye protection or face protection.	
P261	Avoid breathing mist or vapour or spray.	
Precautionary Statements (Response):		
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER or physician.	
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.	
Precautionary Statements (Disposal):		
P501	Dispose of contents and container to hazardous or special waste collection point.	

According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: Polymeric urethane acrylate, diphenyl(2,4,6trimethylbenzoyl)phosphine oxide, Oxybis(methyl-2,1-ethanediyl) diacrylate

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

Page: 3/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 26.11.2020 Previous version: 1.0 Date / First version: 26.11.2020 Product: Ultracur3D® ST 80 B

> (ID no. 1019248/SDS_GEN_EU/EN) Date of print 07.03.2022

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Blend based on: acrylic resin

Hazardous ingredients (GHS) according to Regulation (EC) No. 1272/2008

Oxybis(methyl-2,1-ethanediyl) diacrylate Content (W/W): >= 25 % - < 50 % Skin Corr./Irrit. 2 CAS Number: 57472-68-1 Eye Dam./Irrit. 1 EC-Number: 260-754-3 Skin Sens. 1 REACH registration number: 01-H318, H315, H317 2119484629-21

diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide Content (W/W): >= 0.3 % - < 3 % Skin Sens. 1B CAS Number: 75980-60-8 Repr. 2 (fertility) EC-Number: 278-355-8 Repr. 2 (unborn child) Aquatic Chronic 2 H317, H361fd, H411

Polymeric urethane acrylate Content (W/W): >= 50 % - < 75 % Skin Corr./Irrit. 2 CAS Number: 68585-11-5

Eye Dam./Irrit. 2 H319, H315

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

Page: 4/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 26.11.2020 Previous version: 1.0 Date / First version: 26.11.2020 Previous version: 1.0 Product: Ultracur3D® ST 80 B

(ID no. 1019248/SDS_GEN_EU/EN)

Date of print 07.03.2022

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: No hazard is expected under intended use and appropriate handling.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: dry powder, foam

5.2. Special hazards arising from the substance or mixture

Endangering substances: harmful vapours

Advice: Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Page: 5/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 26.11.2020 Previous version: 1.0 Date / First version: 26.11.2020 Previous version: 1.0 Product: Ultracur3D® ST 80 B

> (ID no. 1019248/SDS_GEN_EU/EN) Date of print 07.03.2022

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin, eyes and clothing. Avoid inhalation. Handle in accordance with good industrial hygiene and safety practice.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of. For large amounts: Pick up with suitable appliance and dispose of. Incinerate or take to a special waste disposal site in accordance with local authority regulations. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours.

Protection against fire and explosion:

Heated containers should be cooled to prevent polymerization. Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Page: 6/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 26.11.2020 Previous version: 1.0 Date / First version: 26.11.2020 Previous version: 1.0 Product: **Ultracur3D® ST 80 B**

> (ID no. 1019248/SDS_GEN_EU/EN) Date of print 07.03.2022

Components with occupational exposure limits

1333-86-4: Carbon black

8.2. Exposure controls

<u>Appropriate engineering controls</u> Provide local exhaust ventilation to control vapours/mists.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator as needed.

Hand protection: Wear chemical resistant protective gloves. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form:	liquid
Colour:	black
Odour:	acrylic-like
Odour threshold:	
	not determined
pH value:	6 - 8
	(25 °C)
	The product has not been tested.
	The statement has been derived from
	substances/products of a similar
	structure or composition.
	6 - 8 (25 °C) The product has not been tested. The statement has been derived from substances/products of a similar

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 26.11.2020 Previous version: 1.0 Date / First version: 26.11.2020 Previous version: 1.0 Product: **Ultracur3D® ST 80 B**

> (ID no. 1019248/SDS_GEN_EU/EN) Date of print 07.03.2022

Melting point:	> 60 °C The product has not been tested. The statement has been derived from substances/products of a similar
Boiling point:	structure or composition. > 100 °C The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.
Flash point: Evaporation rate:	> 100 °C
Flammability:	not determined, Value can be approximated from Henry's Law Constant or vapor pressure. not highly flammable
Lower explosion limit:	For liquids not relevant for classification and labelling.
Upper explosion limit:	For liquids not relevant for
Ignition temperature:	classification and labelling.
Vapour pressure:	
Density:	not determined 1.09 g/cm3 (20 °C)
	The product has not been tested. The statement has been derived from substances/products of a similar
Relative vapour density	structure or composition. (air):
	not determined
Solubility in water:	of low solubility, The product has not been tested. The statement has been derived from the properties of the individual components.
Partitioning coefficient n	-octanol/water (log Kow):
Self ignition:	not applicable for mixtures not self-igniting
Thermal decomposition: Viscosity, dynamic:	not determined 87 mPa.s (30 °C)
Viscosity, kinematic:	
Explosion hazard: Fire promoting propertie	not determined not explosive s: not fire-propagating

Page: 7/14

Page: 8/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 26.11.2020 Date / First version: 26.11.2020 Product: Ultracur3D® ST 80 B

Previous version: 1.0

(ID no. 1019248/SDS_GEN_EU/EN) Date of print 07.03.2022

9.2. Other information

Self heating ability: not applicable, the product is a liquid Bulk density:

Hygroscopy:

not applicable hygroscopic

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

No corrosive effect on metal. Corrosion to metals: 10.2. Chemical stability The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions. The product is stabilized against spontaneous polymerization prior to despatch.

10.4. Conditions to avoid See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid: No substances known that should be avoided.

10.6. Hazardous decomposition products

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity: Based on available data, the classification criteria are not met.

Irritation

Assessment of irritating effects: Skin contact causes irritation. May cause severe damage to the eyes.

Page: 9/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 26.11.2020 Previous version: 1.0 Date / First version: 26.11.2020 Previous version: 1.0 Product: Ultracur3D® ST 80 B

(ID no. 1019248/SDS_GEN_EU/EN) Date of print 07.03.2022

Respiratory/Skin sensitization

Assessment of sensitization: Sensitization after skin contact possible.

Germ cell mutagenicity

Assessment of mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity

Assessment of reproduction toxicity: Based on available data, the classification criteria are not met.

Developmental toxicity

Assessment of teratogenicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Assessment of STOT single: Causes temporary irritation of the respiratory tract.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: Based on available data, the classification criteria are not met.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

Page: 10/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 26.11.2020 Previous version: 1.0 Date / First version: 26.11.2020 Product: Ultracur3D® ST 80 B

(ID no. 1019248/SDS_GEN_EU/EN) Date of print 07.03.2022

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity: Acutely toxic for aquatic organisms.

Assessment of terrestrial toxicity: No data available concerning terrestrial toxicity.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O): The polymer component of the product is poorly biodegradable.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential: The product has not been tested.

12.4. Mobility in soil

Assessment transport between environmental compartments: Volatility: No data available.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

No data available.

12.7. Additional information

Add. remarks environm. fate & pathway: Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

The product has not been tested. The statement has been derived from the properties of the individual components. Do not discharge product into the environment without control.

Page: 11/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 26.11.2020 Previous version: 1.0 Date / First version: 26.11.2020 Previous ST 80 B

> (ID no. 1019248/SDS_GEN_EU/EN) Date of print 07.03.2022

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with national, state and local regulations.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.

The waste code in accordance with the European waste catalog (EWC) must be specified in cooperation with disposal agency/manufacturer/authorities.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number:	Not classified as a dangerous good under transport regulations
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	Not applicable
user	None known
RID	
UN number or ID number:	Not classified as a dangerous good under transport regulations
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	Not applicable
user	None known

Inland waterway transport ADN

Page: 12/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 26.11.2020 Date / First version: 26.11.2020 Product: Ultracur3D® ST 80 B

Previous version: 1.0

(ID no. 1019248/SDS_GEN_EU/EN) Date of print 07.03.2022

UN number or ID number: Not applicable Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Packing group: Not applicable Environmental hazards: Not applicable None known Special precautions for user:

Transport in inland waterway vessel Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known
user	

Air transport

IATA/ICAO

UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user

Not classified as a dangerous good under transport regulations Not applicable Not applicable Not applicable Not applicable Not applicable None known

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

Page: 13/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 26.11.2020 Previous version: 1.0 Date / First version: 26.11.2020 Previous version: 1.0 Product: **Ultracur3D® ST 80 B**

(ID no. 1019248/SDS_GEN_EU/EN) Date of print 07.03.2022

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

Any other intended applications should be discussed with the manufacturer.

Full text of the classifications, including the hazard classes and the hazard statements, if mentionedin section 2 or 3:Skin Corr./Irrit.Skin corrosion/irritationEye Dam./Irrit.Serious eye damage/eye irritationSkin Sens.Skin sensitizationRepr.Reproductive toxicity

Page: 14/14

BASF 3D Printing safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 24.02.2022 Version: 2.0 Date previous version: 26.11.2020 Previous version: 1.0 Date / First version: 26.11.2020 Previous **ST 80 B**

(ID no. 1019248/SDS_GEN_EU/EN) Date of print 07.03.2022

Aquatic Chronic	Hazardous to the aquatic environment - chronic
H318	Causes serious eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H319	Causes serious eye irritation.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population, LD50 = Lethal dose median for 50% of the population.TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.



Safety data sheet

Page: 1/13

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 20.11.2019 Version: 1.0 Date previous version: not applicable Previous version: none Product: Ultracur3D® ST 80

> (ID no. 11124109/SDS_GEN_EU/EN) Date of print 24.11.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ultracur3D® ST 80

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: resin, Printing inks, Chemical

1.3. Details of the supplier of the safety data sheet

<u>Company:</u> BASF SE 67056 Ludwigshafen GERMANY

Telephone: +49 621 60-0 E-mail address: global.info@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

Page: 2/13

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 20.11.2019 Version: 1.0 Date previous version: not applicable Previous version: none Product: Ultracur3D® ST 80

(ID no. 11124109/SDS_GEN_EU/EN)

Date of print 24.11.2020

According to Regulation (EC) No 1272/2008 [CLP]

Skin Corr./Irrit. 2 Eye Dam./Irrit. 1 Skin Sens. 1B

H318, H315, H317

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

Globally Harmonized System, EU (GHS)

Pictogram:



Signal Word: Danger

Hazard Statement: H318 H315 H317	Causes serious eye damage. Causes skin irritation. May cause an allergic skin reaction.	
Precautionary Statements (Prevention):		
P280	Wear protective gloves and eye/face protection.	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
Precautionary Statements (Response):		
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER or doctor/physician.	
P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.	
Precautionary Statemer P501	nts (Disposal): Dispose of contents/container to hazardous or special waste collection point.	

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 20.11.2019 Version: 1.0 Date previous version: not applicable Previous version: none Product: Ultracur3D® ST 80

(ID no. 11124109/SDS_GEN_EU/EN)

Date of print 24.11.2020

Page: 3/13

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Blend based on: acrylic resin

Hazardous ingredients (GHS) according to Regulation (EC) No. 1272/2008

Oxybis(methyl-2,1-ethanediyl) diacrylate Content (W/W): >= 25 % - < 50 % Skin Corr./Irrit. 2 CAS Number: 57472-68-1 Eve Dam./Irrit. 1 EC-Number: 260-754-3 Skin Sens. 1 REACH registration number: 01-H318, H315, H317 2119484629-21

diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide Content (W/W): >= 1 % - < 3 % Skin Sens. 1B CAS Number: 75980-60-8 Repr. 2 (fertility) EC-Number: 278-355-8 Repr. 2 (unborn child) Aquatic Chronic 2 H317, H361fd, H411

Polymeric urethane acrylate Content (W/W): >= 50 % - < 75 % Skin Corr./Irrit. 2 CAS Number: 52404-33-8

Eve Dam./Irrit. 2 H319, H315

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Page: 4/13

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 20.11.2019 Version: 1.0 Date previous version: not applicable Previous version: none Product: Ultracur3D® ST 80

(ID no. 11124109/SDS_GEN_EU/EN)

Date of print 24.11.2020

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: dry powder, foam

5.2. Special hazards arising from the substance or mixture

harmful vapours Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

Page: 5/13

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 20.11.2019 Version: 1.0 Date previous version: not applicable Previous version: none Product: **Ultracur3D® ST 80**

(ID no. 11124109/SDS_GEN_EU/EN)

Date of print 24.11.2020

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin, eyes and clothing. Avoid inhalation. Handle in accordance with good industrial hygiene and safety practice.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of. For large amounts: Pick up with suitable appliance and dispose of. Incinerate or take to a special waste disposal site in accordance with local authority regulations. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours.

Protection against fire and explosion:

Heated containers should be cooled to prevent polymerization. Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate.

Page: 6/13

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 20.11.2019 Version: 1.0 Date previous version: not applicable Previous version: none Product: Ultracur3D® ST 80

(ID no. 11124109/SDS_GEN_EU/EN)

Date of print 24.11.2020

Hand protection: Wear chemical resistant protective gloves. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

<u>General safety and hygiene measures</u> Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: Colour: Odour:	liquid colourless acrylic-like
Odour threshold:	not determined
pH value:	6 - 8 (25 °C)
Melting point:	(25°C) > 60 °C
Boiling point:	> 100 °C
Flash point:	> 100 °C
Evaporation rate:	
	not determined, Value can be approximated from Henry's Law
	Constant or vapor pressure.
Flammability:	not highly flammable
Lower explosion limit:	0.7
	For liquids not relevant for classification and labelling.
Upper explosion limit:	
	For liquids not relevant for classification and labelling.
Ignition temperature:	
	not determined
Vapour pressure:	not determined
Density:	1.09 g/cm3 (20 °C)

Page: 7/13

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 20.11.2019 Version: 1.0 Date previous version: not applicable Previous version: none Product: **Ultracur3D® ST 80**

(ID no. 11124109/SDS_GEN_EU/EN)

Date of print 24.11.2020

Relative vapour density (air):		
	not determined	
Solubility in water:	of low solubility	
Partitioning coefficient n-	octanol/water (log Kow):	
	not applicable for mixtures	
Self ignition:	not self-igniting	
Thermal decomposition:	219 °C, 352 kJ/kg,	
Viscosity, dynamic:	421 mPa.s	
	(30 °C)	
Viscosity, kinematic:		
	not determined	
Explosion hazard:	not explosive	
Fire promoting properties	not fire-propagating	
9.2. Other information		

Self heating ability: not applicable, the product is a liquid Bulk density: Hygroscopy: not applicable hygroscopic

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions. The product is stabilized against spontaneous polymerization prior to despatch.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid: No substances known that should be avoided.

10.6. Hazardous decomposition products

Hazardous decomposition products:

Page: 8/13

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 20.11.2019 Version: 1.0 Date previous version: not applicable Previous version: none Product: **Ultracur3D® ST 80**

(ID no. 11124109/SDS_GEN_EU/EN)

Date of print 24.11.2020 No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity: Based on available Data, the classification criteria are not met.

Irritation

Assessment of irritating effects: Skin contact causes irritation. May cause severe damage to the eyes.

Respiratory/Skin sensitization

Assessment of sensitization: Sensitization after skin contact possible.

Germ cell mutagenicity

Assessment of mutagenicity: Based on available Data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity: Based on available Data, the classification criteria are not met.

Reproductive toxicity

Assessment of reproduction toxicity: Based on available Data, the classification criteria are not met.

Developmental toxicity

Assessment of teratogenicity: Based on available Data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Assessment of STOT single: Causes temporary irritation of the respiratory tract.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Page: 9/13

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 20.11.2019 Version: 1.0 Date previous version: not applicable Previous version: none Product: **Ultracur3D® ST 80**

(ID no. 11124109/SDS_GEN_EU/EN)

Date of print 24.11.2020

Assessment of repeated dose toxicity: Based on available Data, the classification criteria are not met.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity: Acutely toxic for aquatic organisms.

Assessment of terrestrial toxicity: No data available concerning terrestrial toxicity.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O): No data available concerning biodegradation and elimination.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential: The product has not been tested.

12.4. Mobility in soil

Assessment transport between environmental compartments: Volatility: No data available.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

No data available.

12.7. Additional information

Page: 10/13

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 20.11.2019 Version: 1.0 Date previous version: not applicable Previous version: none Product: **Ultracur3D® ST 80**

(ID no. 11124109/SDS_GEN_EU/EN)

Date of print 24.11.2020

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

The product has not been tested. The statement has been derived from the properties of the individual components. Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with national, state and local regulations.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.

The waste code in accordance with the European waste catalog (EWC) must be specified in cooperation with disposal agency/manufacturer/authorities.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number:	Not classified as a dangerous good under transport regulations
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	Not applicable
user	None known
RID	

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable

Page: 11/13

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 20.11.2019 Version: 1.0 Date previous version: not applicable Previous version: none Product: **Ultracur3D® ST 80**

(ID no. 11124109/SDS_GEN_EU/EN)

Date of print 24.11.2020

Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known
user	

Inland waterway transport ADN

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known
user:	

Transport in inland waterway vessel Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known
user	

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known
user	

Page: 12/13

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 20.11.2019 Version: 1.0 Date previous version: not applicable Previous version: none Product: **Ultracur3D® ST 80**

(ID no. 11124109/SDS_GEN_EU/EN)

Date of print 24.11.2020

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

Page: 13/13

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 20.11.2019 Version: 1.0 Date previous version: not applicable Previous version: none Product: **Ultracur3D® ST 80**

(ID no. 11124109/SDS_GEN_EU/EN)

Date of print 24.11.2020

SECTION 16: Other Information

Any other intended applications should be discussed with the manufacturer.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned	
in section 2 or 3:	
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Sens.	Skin sensitization
Repr.	Reproductive toxicity
Aquatic Chronic	Hazardous to the aquatic environment - chronic
H318	Causes serious eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H319	Causes serious eye irritation.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.