



ASIGA[®]

3D Printers for Dentistry

Repeatable precision for quality assurance and patient safety.



Being the creators of the precision desktop 3D printer market, we continue to offer precision, surface finish and product innovations designed to outperform any other.





"After extensive internal testing of a variety of 3D printing systems, the ASIGA MAX UV is clearly one of the best desktop 3D printers in terms of print quality and consistency for the tested dental indications."

Alex Pilet, Head of Advanced Technologies, Nobel Biocare



"After 15 years of printing we finally found a printer with high accuracy, consistency, fast print speed and at an affordable price. The Asiga MAX UV has been a great addition to our lab allowing us to provide a number of products from one printer with its completely open material system."

Matthew Smith, Director Group Production, Andent



"Asiga's high quality and reliability make it a great option for the lab."

Christopher Kirkland, R&D Technical Analyst, Glidewell Laboratories



"We use the Asiga MAX UV as if offers a completely open material system that allows us to utilise resins from almost any vendor."

Brad Race, Core3dCentres



"The Asiga Max has been a game changer for my one man laboratory. I have the freedom to use any material due to the open material system which makes this a very powerful tool!"

Bill Marais, Owner, Disa Dental Studio



"The Asiga MAX UV completes our digital denture workflow as it offers the repeatability and consistency we need to remain competitive. Being an open system we have access to any denture base or tooth material as it reaches the market."

Tony Finn, Managing Director, Diamond Denture Studio



# Points:	195400
Min:	-1.3662
Max:	1.994
Mean value:	-0.0024
Variance:	0.001
Std deviation:	0.0317
RMS:	0.0318
In tolerance(%):	93.0655
Out tolerance(%):	6.9345

Asiga 3D printers are proven as best-in-class for digital dentistry and offer the highest accuracy of any commercial 3D printer.

3D scans of full-arch dental models printed in DentaMODEL demonstrate over 93% of data points are within 50 microns of the original CAD file with a standard deviation of 31 microns.

Printed on an Asiga MAX UV in Asiga DentaMODEL, scanned using 3Shape scanner and validated in 3Shape Convince software



Color scale X

Options

0.150

0.105

0.070

0.050

0.000

-0.050

-0.070


-0.105

-0.150

Our Process Monitoring Technologies explained. These technologies ensure every layer is formed accurately resulting in a reliable output for quality assurance and patient safety.

Smart Positioning System (SPS)

Asiga's Smart Positioning System (SPS) is a series of positioning encoders that read the exact position of the build platform during every layer approach. This ensures that the next layer is exposed/formed only once the build platform target position has been reached. This is the first step in ensuring each layer is formed accurately.



Internal radiometer

An internal radiometer actively monitors LED intensity during every build ensuring the correct light exposure is delivered for each layer.

High power UV 385nm LED

Why 385nm UV LEDs? 3D materials cure faster at deeper UV wavelengths (385nm) reducing XY scattering and over-cure. The result is consistent accuracy, production reliability and the ability to process water-clear materials.

Small pixel and accurate pixel placement

Pixel size and pixel placement are crucial for reproducing digital data accurately. For dentistry, we recommend pixel sizes between 60 - 80µm depending on application.

Precise material curing

Our Open Material System allows for any suitable material to be printed. Material curing parameters for each material are generated by Asiga ensuring materials are cured accurately for repeatable results.

Our end user features.
3D printing made intuitive and simple.

Open Material System

Over 380 optimized material profiles available via the Asiga Material Library online.
Fully Open - print any suitable material from any manufacturer

Single Point Calibration

Calibrate printer in under 60 seconds

30 Second Material Change

Change-over materials in less than 30 seconds with no calibration required

Auto Power-Off

Energy saving mode and auto-recovery

Environmental Control

Onboard heater for reliable performance

Remote access and control

Streamlined integration into your digital workflow

Touch Screen Display

For greater user convenience

PRO 4K

Floor Standing | Powerful | Volume production



MAX UV

Desktop | Powerful | Compact




Asiga dental 3D printers for the Clinic or Laboratory.

3D PRINTER RANGE
Our dental 3D printers

MAX UV

Proven performance, unrivaled repeatability. The MAX UV is the industry benchmark for precision dental 3D printing. Optimised for the production of all types of dental appliances from restorative dentistry through to orthodontic.

Print Speed
60mm/hr



Product specification

Build Volume X, Y, Z	119 x 67 x 76mm. 4.68 x 2.63 x 3 inches
Pixel Resolution	62µm
Technology	DLP
LED Wavelength	385nm (high power UV LED)
Asiga dental materials	DentaMODEL (dental models) DentaGUM (gingiva mask, soft-tissue) DentaCAST (investment casting and pressing) DentaCLEAR (occlusal splints) * DentaGUIDE (surgical guides) * DentalBT (Indirect bonding trays) * DentaTRY (Try-in, custom impression trays) * DentaBASE (denture base) * DentaTOOTH (denture teeth) *
Material Compatibility	Open Material System including materials from Detax, Whip Mix, Dreve, NextDent, Scheu, Dentca, Pro3dure, Dentona, Keystone & more.
Production	Dental models, surgical guides, denture bases, temporaries, partial frameworks, IBT's, crown and bridge, custom trays, splints and more.
Software	Asiga Composer software. Lifetime updates included
File inputs	STL, PLY, SLC, STM (Asiga Stomp file format)
Network Compatibility	Wifi, WirelessDirect, Ethernet
Power requirements	100-240VAC, 50/60Hz, 2.0A MAX
System sizing	260 x 380 x 370mm /16.50Kg. 10.2 x 15 x 14.5 inches / 36.4Lbs
Packed sizing	410 x 500 x 480mm / 19Kg. 16.1 x 19.7 x 18.9 inches / 41.9Lbs
Warranty	12 months manufacturers warranty
Technical support	Unlimited lifetime technical support included
Bundle includes	3D printer, Composer software, 1Kg Asiga material, 1L build tray, Asiga Flash post-curing chamber, calibration toolkit

* Contact Asiga for information regarding material biocompatibility certification in your region

PRO 4K

The PRO 4K utilises the latest DLP imaging technology to achieve the largest print envelope in our range, with precision, reliability and speed for the most demanding production applications.

Print Speed
60mm/hr



Product specification

	PRO 4K65		PRO 4K80	
Build Volume X, Y, Z	176.5 x 99 x 200mm.	6.94 x 3.9 x 7.87 inches	217 x 122 x 200mm.	8.54 x 4.8 x 7.87 inches
Pixel Resolution	65µm		80µm	
Technology	DLP		DLP	
LED Wavelength	385nm (high power UV LED)		385nm (high power UV LED)	

Asiga dental materials	DentaMODEL (dental models) DentaGUM (gingiva mask, soft-tissue) DentaCAST (investment casting and pressing) DentaCLEAR (occlusal splints) * DentaGUIDE (surgical guides) * DentalBT (Indirect bonding trays) * DentaTRY (Try-in, custom impression trays) * DentaBASE (denture base) * DentaTOOTH (denture teeth) *
------------------------	---

Material Compatibility	Open Material System including materials from Detax, Whip Mix, Dreve, NextDent, Scheu, Dentca, Pro3dure, Dentona, Keystone & more.
------------------------	--

Production	Dental models, surgical guides, denture bases, temporaries, partial frameworks, IBT's, crown and bridge, custom trays, splints and more.
------------	--

Software	Asiga Composer software. Lifetime updates included
----------	--

File inputs	STL, PLY, SLC, STM (Asiga Stomp file format)
-------------	--

Network Compatibility	Wifi, WirelessDirect, Ethernet
-----------------------	--------------------------------

Power requirements	100-240VAC, 50/60Hz, 500 Watts (100V - 5Amp Max. 240V - 2.1Amp)
--------------------	---

System sizing	465 x 420 x 1370mm / 130Kg. 18.3 x 16.5 x 53.9 inches / 286Lbs
---------------	--

Packed sizing	975 x 735 x 1590mm / 150Kg. 38.3 x 28.9 x 62.6 inches / 330Lbs
---------------	--

Warranty	12 months manufacturers warranty
----------	----------------------------------

Technical support	Unlimited lifetime technical support included
-------------------	---

Bundle includes	3D printer, Composer software, 1Kg Asiga material, 2L build tray, Asiga Flash post-curing chamber, calibration toolkit
-----------------	--



Our Open Material System provides compatibility with over 380 materials from many of the leading material manufacturers.



DETAX

NextDent
by Vertex Dental

SCHEU

'GC'

pro**3d**ure
medical



DENTCA[™]
CAD/CAM DENTURE

VOCO

keystone[®]
Industries

dentona[®]
NEW WAY DENTAL TECHNOLOGY


SAREMCO

Asiga materials suitable for any DLP 3D printer.

ASIGA MATERIALS
Materials for DLP 3D printers



DentaMODEL

- Dental Models
- Quadrants
- Dental Models for thermoforming

Compatible with:
385nm / 405nm printers

DentaGUM

- Gingiva

Compatible with:
385nm / 405nm printers



500g bottle
available

DentaCAST

- Investment casting / C&B
- Partial Frameworks

Compatible with:
385nm / 405nm printers

DentaCLEAR

- Occlusal Splints *

Compatible with:
385nm printers

DentaGUIDE

- Surgical Guides *

Compatible with:
385nm / 405nm printers

DentaIBT

- Indirect Bonding Trays *

Compatible with:
385nm printers

DentaTRY

- Try-Ins *
- Custom Impression Trays *

Available colours:
A1, A2, A3, B1, B2, B3

Compatible with:
385nm / 405nm printers

DentaBASE

- Denture Base *

Compatible with:
385nm / 405nm printers

DentaTOOTH

- Denture Teeth *


Available colours:
A1, A2, A3, B1, B2, B3

Compatible with:
385nm / 405nm printers



500g bottle
available

* Contact Asiga for information regarding material biocompatibility certification in your region



Composer is the software interface to all our 3D Printers. Powerful, intuitive and free.

Automatic Support and Part Placement

For fast build processing and greater user efficiency

Build Time Estimator

Effectively schedule your production workflow

Multi-Stacking included

Maximize Z height usage and build multiple levels of parts

Simple & Intuitive

Submit builds within a minimal number of clicks. Compatible with file types STL, PLY, SLC, STM

Dynamic Part Array

Place parts based on geometry to maximize available build area

Load and Process Multiple Builds

Manage multiple builds at the same time in a simple tab based interface

Remote Control

Access your printer via a simple web interface

Compatible with
Apple, Windows, Linux



Seamless integration with leading 3D scanning and digital design software providers.



ASIGA

Free and unlimited lifetime technical support.
Local sales, service and support via our global
reseller network.

In 2011, Asiga launched the world's first LED based DLP 3D printer and started the affordable desktop stereolithography revolution which changed digital manufacturing forever.

Asiga won the MJSA's 2012 Thinking Ahead award for best new technology and gained international recognition for innovative products which continue to lead their respective categories to this day.

Asiga designs and manufactures all products at its headquarters in Sydney, Australia. Asiga's in-house mechanical, electrical, software and materials team ensures continued innovation and product improvement.

Contact us or one of our resellers to learn more.

Asiga Australia (HQ)
2, 19-21 Bourke Road
Alexandria, Sydney 2015
Australia
TEL: +61 2 9690 2737

Asiga Germany
Kraempferstr. 4
99084, Erfurt
Germany
TEL: +49 361 5506 6866

Asiga USA
TOLL FREE: +1 877 689 99 98

info@asiga.com
www.asiga.com

Affordable Digital Manufacturing, it's something Asiga invented.



ASIGA[®]



FREEFORM



COVID-19 PUTTING ON PROTECTIVE EQUIPMENT

1. Perform hand hygiene
2. Put on gown
3. Put on face shield or goggles
4. Put on gloves
5. Perform hand hygiene

Cough etiquette

Cover your cough

1. Cover your mouth and nose with a tissue
2. Use your elbow or sleeve
3. Avoid touching your hands
4. Dispose of the tissue immediately
5. Perform hand hygiene

After your visit

- After coughing, sneezing, or blowing your nose, use a tissue to cover your mouth and nose.
- If you do not have a tissue, cough or sneeze into your elbow.
- After coughing, sneezing, or blowing your nose, use a tissue to cover your mouth and nose.
- Use a tissue to cover your mouth and nose.
- Dispose of the tissue immediately.
- Perform hand hygiene.

NSW Health